


What is sodium?

Sodium is a mineral found in food and salt. Our bodies need some sodium for proper water balance in the body, but we tend to eat much more than we need.

Why should we eat less sodium?



5% added while cooking
6% added while eating
12% from natural sources
77% from processed and prepared foods

Even if you never use the salt shaker, you might be getting too much sodium.

Too much sodium can lead to *high blood pressure*, which is a major risk factor for stroke, heart disease and kidney disease.

Steps we can take to lower sodium intake

- Choose fresh foods such as fruits, vegetables, seafood, eggs, and meat often
- Make meals at home use little to no salt.
- Limit: processed and prepared foods, deli meat, pickled foods, salty snacks, sauces.

Unprocessed	Processed
Cucumber, 7 slices = 2 mg	Dill Pickle, 1 medium = 569 mg
Tomato, 1 small = 14 mg	Tomato Soup, 1 cup = 960 mg
Pork Tenderloin, 3 oz = 58 mg	Ham, 3 oz = 1095 mg

- Look for products labelled 'no salt added', 'low sodium', or 'sodium reduced'
- Season food with herbs, spices, citrus juices, garlic, onion, dry mustard, or vinegars
- Eat out less often ask for low sodium menu items when choosing to eat out.

Over time, our taste buds can adjust to prefer less salt. Try it and see for yourself!

Food Items	High Sodium Foods - Limit	Lower Sodium Foods
	_	√Good Choices
Snack foods	 Salted crackers Corn or tortilla chips Potato chips Salted popcorn Salted pretzels Salted nuts Salted sunflower seeds 	 Unsalted crackers Rice cakes Unsalted corn or tortilla chips Unsalted chips Unsalted popcorn Unsalted pretzels.
Meat and Seafood	 Ham, bacon, salt pork, hot dogs, sausage, salami, pastrami, corned beef, cold cuts, bologna, deli meats, spam Smoked salmon, lox Pickled herring, anchovies 	 Fresh beef, wild meat (moose, elk, bison), pork, chicken, turkey Fish, fresh seafood Eggs Lower sodium deli meats such as oven roasted turkey or beef Canned tuna and salmon without added salt
Cheese and Milk	 Processed cheese, cheese slices, cheese spreads, cottage cheese, cheese whiz Parmesan, blue cheese, feta, and buttermilk 	 Cream cheese, goat cheese Block type cheese such as Swiss, cheddar, and mozzarella
Pickled Foods	Pickles, relish, sauerkrautOlives	 Cucumber or other vegetables in vinegar, Unsalted commercial pickles (check labels)
Soup, Vegetables and Tomato Products	 Canned and packaged soup, instant soup, instant noodle soup Canned vegetables and canned tomatoes with added salt Frozen vegetables with sauces 	 Homemade low sodium soup Unsalted canned vegetables Fresh and frozen vegetables Unsalted canned tomato products
Pre-prepared	 Commercial TV dinners 	 Commercial TV dinners with less

Foods	 Canned spaghetti and ravioli, canned chili Packaged macaroni and cheese (Kraft Dinner™), Frozen prepared foods Hamburger Helper™ Commercial salad dressing Instant hot cereal 	 than 600 mg sodium per portion Homemade casseroles made with fresh, frozen or unsalted ingredients and low salt seasonings Homemade salad dressings Quick or long cook cereal (mush)
Seasonings	 Table salt, sea salt, garlic salt, onion salt, celery salt, seasoning salt such as Vege-Sal™, Lite salt, lemon pepper (with salt) Meat tenderizer such as Adolph's™, flavor enhancer (MSG), bouillon cubes (OXO™, Bovril™) Marmite™, Veg-mite™ Sushi vinegar 	 Fresh and dried spices and herbs such as fresh garlic, fresh ginger, garlic powder, fresh onion (green and white), onion powder, dry mustard, pepper Salt-free seasonings such as Mrs. Dash™ and McCormick's No Salt Added™ Wasabi, lemon and lime juice, vinegars, cooking wine, chili oil, sesame oil
Sauces and Salad Dressings	 Barbeque sauce, soy sauce, steak sauce, teriyaki sauce, oyster sauce, fish sauce Commercial salad dressings Ketchup, prepared mustard Commercial salsa 	 Homemade or low-sodium sauces Salad dressing with less than 100 mg sodium per tablespoon Homemade salsa, Vinegar Hot Sauces

Sodium Comparison of 1 Day Menu

-	-		
Higher Sodium Menu	Sodium (mg)*	Lower Sodium Menu	Sodium (mg)*

Breakfast		Breakfast	
Egg, boiled	50	Egg, boiled	50
Bacon, 1 slice	210	Cooked steel cut oats, ½ cup	0
Whole grain bread*, 2 slices	280	Whole grain bread*, 1 slice	140
Milk, 1 cup	60	Milk, 1 cup	60
Soft margarine, 1 tsp	40	Unsalted butter, 1 tsp	0
Peanut butter*, 1 Tbsp	70	Peanut butter (unsalted) 1 Tbsp	3
Snack		Snack	
Pear, sliced	0	Pear, sliced	0
Greek yogurt, ¾ cup	40	Greek yogurt, ¾ cup	40
Lunch		Lunch	
Ham salad sandwich:		Chicken salad sandwich:	
Ham, chopped, 3 oz	1095	Chicken, chopped, 3 oz	75
Mayonnaise, 1 Tbsp	100	Mayonnaise, 1 Tbsp	100
• Celery, minced, ¼ cup	0	• Celery, minced, ¼ cup	0
Whole grain bread*, 2 slices	280	Whole grain bread*, 2 slices	280
Vegetable soup, ½ can	750	Vegetable soup, low sodium, ½ can	60
Milk, 1 cup	70	Milk, 1 cup	70
Snack		Snack	
Salted nuts	110	Unsalted nuts	0
Orange, medium	0	Orange, medium	0
Dinner		Dinner	
Lean ground beef, 3 oz	60	Salmon with lemon, 3 oz	40
Pasta sauce*, 1/3 cup	400	Brown rice, 1 cup	5
Whole wheat pasta, 1 1/2 cup	0	Broccoli, steamed, 1 cup	60
Parmesan, 1 Tbsp	80	Sweet Potato, steamed, ½ cup	0
Broccoli, steamed	60		
Snack		Snack	
Cheese whiz, 1 Tbsp	260	Cheddar cheese, 1 oz	175
Salted cracker, 4	130	Rye crisp, 3	75
Day's Total	4145	Day's Total	1233

^{*}The milligrams (mg) of sodium are approximate and will vary from brand to brand. Please check the nutrition facts table for more accurate information

Read the nutrition facts table on food packages. Compare the amount of sodium by the "DV" (daily value) to the list below to guide your choices:

< 10% sodium = a good low sodium choice

>15% = limit or avoid, very high in sodium

How can I eat less sodium when eating out?

- Choose restaurants that will prepare food without salt.
- Ask for gravy, sauce and dressing on the side and eat less of them.
- Sandwiches: choose fillings of vegetables, roast beef, roast turkey or chicken, egg, or fish. Avoid ham, processed meats (i.e. salami, pastrami, bologna, corned beef), processed cheese (i.e. sliced cheese) and pickles.
- **Italian**: Avoid Parmesan or Romano cheese, olives, smoked meats and ham. Try polenta, ravioli filled with vegetables or meat instead of cheese, veal piccata, fresh garden salad (insalata) or ratatouille.
- **Pizzas**: Most pizzas are high in salt. A vegetarian pizza made with real mozzarella cheese and fresh vegetables ("hold the olives") is the lowest in salt. Avoid processed meat such as ham.
- Chinese: Choose plain stir-fries instead of those with heavy sauces such as black bean, hoisin or oyster sauce. Ask for "light" or "reduced sodium" soy sauce on the side. Dishes prepared with hot mustard, sweet and sour, plum or duck sauces have less sodium (but may be higher is sugar). Choose steamed rice or noodles instead of fried or mixed with sauces. Request that monosodium glutamate (MSG) or soy sauce not be added when the food is prepared. Try dim sum (steamed dumplings filled with meat, seafood and/or vegetables, sweet paste and preserves).
- **Japanese**: Try "shabu shabu" (meat and vegetables prepared without soy sauce) or sushi rolls filled with cucumber, mushrooms, meat, fish or seafood. For lots of flavor without salt, try wasabi or hot horseradish.
- Hamburgers: Choose tomato, onion and lettuce. Do not order processed cheese. It's okay to use a small amount of ketchup, mustard and relish.
- **Fish and chips**: Ask for unsalted fries. Try lemon or vinegar instead of salt and ketchup. If the fish batter tastes salty, eat only a small amount. The best choice is a grilled fish.